

**Supplementary Table** Summary of studies involving pancreatic metastases

	<b>Author (year)</b>	<b>Study type</b>	<b>Time period of time (years)</b>	<b>Cases (n)</b>	<b>EUS FNA</b>	<b>Frequency from pancreatic biopsies (%)</b>	<b>Origin location, %</b>
1	Fritscher-Ravens et al. (2001) [26]	Retrospective Single-center	2	12	12/12	10	Kidney, 25% Breast, 17% Esophagus, 17%
2	Layfield et al. (2010) [8]	Retrospective Single-center	7	17	17/17	0.73	Kidney, 47% Lymphoma, 24% Lung, 12%
3	Yoon et al. (2011) [27]	Retrospective	13	53	-	-	Kidney, 26% Gastrointestinal tract, 21% Colon, 9%
4	Hijioka et al. (2011) [28]	Retrospective	13	28	28/28	-	Kidney, 25% Lung, 21% Breast, gastrointestinal tract, lymphoma, skin, 7% each
5	Alzahrani et al. (2012) [9]	Retrospective Single-center	7	20	17/20	-	Kidney, 60% Lung, 20% Colon, 15%
6	El Hajj et al. (2013) [3]	Retrospective Single-center	12	49	49/49	-	Kidney, 43% Lung, 16% Skin, 12%
7	Atiq et al. (2013) [4]	Retrospective Single-center	4	23	23/23	3.6	Lung, kidney, colon, 17% each Skin, 13%
8	Olson et al. (2013) [11]	Retrospective Two centers	27* 15**	27 15	35/42	0.8	Kidney, 38% Skin, 19% Lung, 14%
9	Ardengh et al. (2013) [10]	Retrospective Single-center	13	32	30/32	1.6	Lymphoma, 19% Colon, kidney, 12% Lung, 9%
10	Fusaroliet al. (2014) [19]	Retrospective Single-center	3	11	11/11	4.1	Kidney, 27% Colon, breast, 18% each Ovary, skin, lymphoma, sarcoma, 9% each
11	Waters et al. (2014) [29]	Retrospective	10	66	66/66	4	Kidney, 41% Lung, 14% Skin, breast, 9% each
12	Smith et al. (2015) [30]	Retrospective	14	22	22/22	0.94	Kidney, 64% Colon, 9%
13	Alomariet al. (2016) [31]	Retrospective Single-center	7	31	31/31		Kidney, 26% Lung, 23% Colon, breast, 6% each
14	Dietrich et al. (2016) [20]	Retrospective Multicentric	10	28	28/28	7.1	Kidney, 43% Lung, 25% Skin, 11%
15	Hou et al. (2018) [7]	Retrospective Single-center	8	30	30/30		Kidney, 37% Lung, 17% Skin, soft tissue, 1% each

\*The Johns Hopkins Hospital \*\*Ohio State University Medical Center